

Image Display
Panel Manufacturer
Hisense
Active Display Area, Horizontal Dimension
940,896mm
Active Display Area, Vertical Dimension
529,254mm
Screen Size (rounded to nearest integer)
108cm
Screen Size (rounded to nearest integer)
43inch
Display Technology
LCD / LED lit
Backlight Source
LED Matrix
Resolution (Horiz x Vert)
1920 x 1080pixel
Screen Curvature Radius
-mm
Colour Depth
8bit + FRCbit
Image Refresh Frequency
60Hz
Smooth Motion Rate
120
3D Image
-
Maximum Brightness of White
300cd / m2
Native Contrast Ratio
1200:01:00
Viewing Angle (Horiz / Vert)
178 / 178 Degrees
Quantum Dot
No
Wide Colour Gamut
No
UHD Premium
No
Response Time
8ms
Connectivity
RF- Radio Frequency Input
1
AV Input
1
AV Output
0
USB Interface Type 3.0 (Qty / List....)
0
USB Interface Type 2.0 (Qty / List)
2 / USB 1, USB 2

Optical Digital Audio Output (SPDIF)
1
Earphone Jack
1
HDMI Ports
HDMI Inputs
2
HDMI Type 4K@60Hz with HDCP Version 2.2
N/A
HDMI Type 1.4 with HDCP Version 1.4
HDMI 1, HDMI 2
HDMI 2.0 Compliant Input
N/A
ARC – Audio Return Channel
HDMI 1
MHL – Mobile High Definition Link Input
N/A
CEC – Consumer Electronics Control via HDMI
Yes
Smart TV
Ethernet Port (RJ45 Connector)
0
Wi-Fi Protocols IEEE 802.11 {b, g, n, ac, ad, ..}
No
Wi-Fi Bands
No GHz
DLNA Compliance
No
Bluetooth / BT Version
No
Anyview (Screen mirroring)
No
UHD (4k) Streaming
No
Installed Applications {List}
No
Installed Applications {List}
No
Skype
No
Freeview Plus – HbbTV 2.0
No
Web Browser [Chrome Opera Other]
No
Digital TV Reception
Television System (DVB-T / DVB-T2)
Yes / Yes
Video Decoder (MPEG2 / MPEG 4)
Yes / Yes
AC3 Surround Sound Decoder
Yes
AS 4599.1 Compliance

No
AS 4933.1 Compliance
No
LCN- Logical Channel Number and DTV Service Name Support
No
Teletext / Teletext Signal Interruption (TAB Compliant) / 16:9 TLTX
No
Subtitles
Yes
RF Signal Strength Indicator
No
RF Signal Quality Indicator
No
RF Bit Error Rate Indicator
No
EPG – Electronic Programming Guide, 7 Days for All Services
No
Audio Description (Vision Impairment Aid)
No
Parental Rating Lock
No
Analogue TV Reception
Colour – Sound Systems in VHF Band
PAL B
Colour – Sound Systems in UHF Band
PAL B
Stereo Sound Decoder {A2, Nicam, ...}
NICAM
Teletext / Teletext Signal Interruption (TAB Compliant) / 16:9 TLTX
No
Subtitles
Yes
Image Processing
Backlight Control
No
Light Sensing
No
Dynamic Backlight Control
No
Local Dimming / Controllable Zones
No
Zoom Function Settings (4:3 / 16:9 / Auto / Zoom 1 / Zoom 2)
Yes / Yes / Yes / No / No
1:1 Pixel Mapping
No
HDR – High Dynamic Range for Luminance (DMP / Netflix / HDMI)
No / No / No
HDR System (HDR10 / Dolby Vision)
No / No
HLG (Hybrid Log-Gamma) for HDR
No
HEVC (H.265) Decoder

No
Dual Image (PIP / POP)
No / No
Motion Enhancement and Compensation (MEMC)
No
Sound
Audio Power Output per Channel
7Watt
Number of Speakers (Tweeter / Midrange / Woofer)
0 / 1 / 0
Automatic Volume Level (AVL)
Yes
Audio Equalizer
Yes
Dolby Digital
Yes
Audio Enhancement – Type {SRS, BBE, SAP, DBX-TV....}
No
Lip – Sync Adjustment
No
Features
On / Off Timer
Yes
Power Off if No Signal
Yes
Sleep Timer
Yes
Program Lock
Yes
OSD Transparency Control
No
User Interface
Linux
Software Version OSD Indication
Yes
Legal Requirements: Disclaimer / Acceptance of Terms
Yes / Yes
Favourite Channels List
Yes
Electronic Point of Sales (E-POS)
No
OTA – Over the Air Software Updates
No
Voice Command
No
Screen Mirroring {Miracast, Anyview Cast, ...}
No
Smartphone Remote Control Application {Remote Now, ...}
No
Replaceable Demo Video for Store Mode
No
Remote Control via Serial Port

No
USB Media Player
Personal Video Recorder
Yes
Time Shift
Yes
DTV Recording (EPG Scheduling / Start from Standby)
Yes / Yes
DivX Decoder
No
MPEG4 (H.264) / H.265 Decoder
No / No
DMP – Digital Media Player Content (Music / Video / Photos / Text)
Yes / Yes / Yes / No
DMP Auto – Play
No
DMP for UHD Content via USB
No
DMP File Allocation Table (FAT / FAT32 / exFAT / NTFS)
Yes / Yes / No / Yes
PVR File Allocation Table (FAT / FAT32 / exFAT / NTFS)
Yes / Yes / No / Yes
Hotel Lock
Protected Hotel Lock Submenu (Password / Fixed Code)
No / Yes
Clone Function for Programs, Sound and Image Settings
No
Sub-Menu Lock, Including Tuning Lock
Yes
Keyboard Lock
No
Maximum Volume Lock
Yes
Power On Volume
Yes
Power On, Apply Default Sound / Image Settings
Yes
Power On Source Selection
Yes
Power On RF Channel Selection
Yes
Power On Mode (On / Standby / Last)
Yes / Yes / Yes
Inputs Access (Enable / Disable)
Yes
Hardware
Processor / Cores
MSD3663LSAT – SW
Dual Tuner
No
Colour (Front Bezel, Rear, Stand)
Black / Black / Black

Speakers Mounted in Enclosure
No
Mains Power Switch
No
Swivel Base
No
Compact Packaging
Yes
Supply Range [Voltage / Frequency]
100 ~ 240V / 50, 60Hz Volt / Hz
Standby Consumption
< 0.5Watt
Maximum Time Delay Power On to Sound an Image
sec
Installation
Stand Area (Width/Depth)
801 × 182mm
Wall Mount Dimensions (Horiz x Vert)
200 × 200mm
Wall Mount, Screw Thread
M6mm
VESA Compliance
Yes
Detachable Power Cord
No
Power Cord Length
155cm
Accessories
Remote Controller (Technology / Part number)
IR / ER-22601A
Battery (Size / Quantity)
AAA / 2
User Manual (Available Online) / Quick Setup Guide (Print)
01-Jan
Warranty [In User Manual In Separate Sheet]
In separate sheet
Skype Camera (Qty / Part Number)
-
3D Glasses Type [Passive Shutter] / Link [RF IR BT]
-
3D Glasses (Qty / Part Number)
-
Dimensions
Dimensions with Stand (WxHxD)
955 × 606 × 182mm
Dimensions without Stand (WxHxD)
955 × 558 × 87mm
Carton Box Dimensions (WxHxD)
1070 × 135 × 652mm
Net Weight (with stand / without stand)
6.4 / 6.5kg
Gross Weight

8,7kg
Licensing and Certification
EMC – Electromagnetic Compatibility
Yes
CB – Electrical Safety
Yes
HDMI
No
Dolby Digital
Yes
ROHS
No