

Display

Panel Size (inch) : 27
Aspect Ratio : 16:9
Display Viewing Area (H x V) : 596.74 x 335.66 mm
Display Surface : Non-Glare
Panel Type : IPS
Viewing Angle (CR \geq 10, H/V) : 178°/ 178°
Pixel Pitch : 0.233mm
Resolution : 2560x1440
Color Space (sRGB) : 100%
Brightness (Typ.) : 350cd/m²
Contrast Ratio (Typical) : 1000:1
Display Colors : 16.7M
Response Time : 5ms(GTG)
Refresh Rate (Max) : 75Hz
Flicker-free : Yes
LCD ZBD Warranty : Yes(3 yr)

Video Feature

ProArt Preset : Standard
ProArt Preset : sRGB
ProArt Preset : Rec. 709
ProArt Preset : Scenery
ProArt Preset : Reading
ProArt Preset : Darkroom
ProArt Preset : Rapid Rendering
ProArt Preset : User mode1
ProArt Preset : User mode2
ProArt Palette : Yes
Gamma Adjustment : Yes (Support Gamma 1.8/2.0/2.2/2.4/2.6)
Color Temp. Selection : Yes(4 modes)
Color Adjustment : 6-axis adjustment(R,G,B,C,M,Y)
Color Accuracy : $\Delta E < 2$
VRR Technology : Adaptive-Sync
QuickFit : Yes
Motion Sync : Yes
HDCP : Yes
Low Blue Light : Yes
ProArt Chroma Tune : Yes

Audio Feature

Yes(2Wx2)

I/O Ports

Mini DisplayPort x 1
HDMI(v1.4) x 1
Dual-Link DVI x 1
Earphone Jack : Yes
PC Audio Input : Yes
USB Hub : Yes(4 ports USB 3.0)

Signal Frequency

Digital Signal Frequency : 30~112 KHz (H) / 46~75 Hz (V)

Mechanical Design

Tilt : Yes (+35° ~ -5°)

Swivel : Yes (+90° ~ -90°)

Pivot : Yes (+90° ~ -90°)

Height Adjustment : 0~150mm

VESA Wall Mounting : 100x100mm

Kensington Lock : Yes

Dimensions

Phys. Dimension with Stand (W x H x D) : 615 x (382~532) x 226 mm

Phys. Dimension without Stand (W x H x D) : 615 x 372 x 51 mm

Box Dimension (W x H x D) : 735 x 216 x 464 mm

Weight

Net Weight with Stand : 7.72 Kg

Net Weight without Stand : 4.96 Kg

Gross Weight : 10.77 Kg

Certificate

TÜV Flicker-free

TÜV Low Blue Light

Calman Verified



- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.

- The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.